Modeling Atmospheric Chemistry and Aerosols

Presented by Rebecca Buchholz,
Atmospheric Chemistry Observations & Modeling
(ACOM) Laboratory

Chemistry-Climate Working Group (CCWG)

CCWG Co-Chairs:	*Simone Tilmes*
	Rafael Fernandez
Software Engineers:	*Francis Vitt*
CCWG Liaisons:	*Rebecca Buchholz*
	Shawn Honomichl

August, 2024

This material is based upon work supported by the NSF National Center for Atmospheric Research, which is a major facility sponsored by the U.S. National Science Foundation under Cooperative Agreement No. 1852977.

Atmospheric Chemistry

- Motivation
- Adding processes into models
  - Emissions
  - Chemical mechanism
  - Aerosol model and cloud interactions
  - Dry Deposition
  - Wet Deposition
- Applications
- Support



Atmospheric Chemistry: Why is it important – Health

Ozone pollution (NOx, CO, VOC, CH4):
→ Damages tissues, causes inflammation
→ Coughing, chest tightness and worsening of asthma

Particulate Matter: PM2.5 and PM10 diameter < 2.5 or 10 µm (SO2, VOC, NH3, BC, OC, fine dust):
→ Cardiovascular impacts (lungs and heart), premature deaths

Sources:
- Traffic / Industry & Private (use of fossil fuels)
- Farmland
- Fires
- Vegetation
- PM: Dust storms (worsen with climate change)
- PM: Volcanoes

(7+ million premature deaths due to air pollution per year !!)

Atmospheric Chemistry: Why is it important – Climate



IPCC AR6 WG1 Technical Report, Figure TS15

- Chemistry and aerosols interact with the climate
- Importance of describing ozone and aerosol precursors
- Importance of aerosol-cloud interactions in models

Atmospheric Chemistry: Why is it important – Stratospheric Ozone





The ozone layer in the stratosphere protects life from harmful UV, through photochemical reactions

Accurate modeling is required:

- Impact on tropospheric chemistry
- Ozone hole recovery (CFCs)
- Cause of a slowing trend

Atmospheric Chemistry

- Motivation
- Adding processes into models
  - Emissions
  - Chemical mechanism
  - Aerosol model and cloud interactions
  - Dry Deposition
  - Wet Deposition
- Applications
- Support



For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \text{Sources(i)} - \text{Sinks(i)}$$

Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \mathrm{Sources(i)} - \mathrm{Sinks(i)}$$



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \mathrm{Sources(i)} - \mathrm{Sinks(i)} = \mathrm{E_i}$$

E_i Emissions



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

Emissions in CESM

Emissions

- Surface emissions: anthropogenic, biogenic, biomass burning (fire), ocean, soil
- Vertical emissions: (external forcings): aircraft, volcanoes, power plants, (fire optional)
- Interactive: Dust, biogenic, sea salt, lightning NO_X, (fire optional/experimental)

Surface concentrations

- Lower boundary conditions (greenhouse gases CO_2, CH_4, O_3, N_2O and, long-lived gases CFCs). Can vary latitudinally.





Interactive emissions: Dust

$F_{dustemis} = F_{dustemis}(u_*, w)$ becomes $F_{dustemis} = F_{dustemis}(u_*, w, z_{0,rock}, \mathrm{LAI}, \sigma_{\tilde{u}})$

(CESM default)

horizontal wind/friction (u_*)

soil moisture (w)

(Leung 2023)

Drag partition due to surface roughness ($z_{0,rock}$, LAI)

Subtimestep wind following the similarity theory ($\sigma_{\tilde{u}}$)

Charlie Zender et al. (2003; DEAD)
CESM2/CAM6 default



Danny Leung et al. (2023; L23)
CESM3/CAM7 (future default)



MIDAS (MODIS/Aqua) dust
Gkikas et al. (2021)



AOD from dust



Slide: Danny Leung

Interactive emissions: Biogenic

The **MEGAN-v2.1** algorithm
Emissions for species i:

$$F_i = \gamma_i \sum \varepsilon_{i,j} \chi_j$$

where

γ_i : emission activity factor, depends on leaf area index (LAI), meteorology (T, solar radiation), leaf age, soil moisture, with separate light-dependent and light-independent factors

$\varepsilon_{i,j}$: emission factor at standard conditions for vegetation type (PFT) j

χ_j : fractional area of PFT j



Guenther et al., GMD, 2012

Slide: Louisa Emmons

For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \text{Sources(i)} - \text{Sinks(i)} = E_i + C_i + A_i$$

- E_i Emissions
- C_i Gas-phase-Chemistry
- A_i Aerosol-processes (Gas-aerosol exchange, het chem.)



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

Tropospheric Chemistry in CESM



Young et al., 2017

Photochemistry
Gas-phase chemistry
Heterogeneous chemistry
Aqueous phase chemistry
Gas-to-aerosol Exchange

Stratospheric Chemistry in CESM

WMO2022

Ozone Destruction Cycle 1 : Upper Stratosphere







Ozone Destruction Cycles 2 and 3 : Polar Regions

Cycle 2 :

$$ClO + ClO \rightarrow (ClO)_2$$
$$(ClO)_2 + \textit{sunlight} \rightarrow ClOO + Cl$$
$$ClOO \rightarrow Cl + O_2$$
$$2(Cl + O_3 \rightarrow ClO + O_2)$$

Net: $2O_3 \rightarrow 3O_2$

Cycle 3 :

$$ClO + BrO \rightarrow Cl + Br + O_2$$

or

$$ClO + BrO \rightarrow BrCl + O_2$$
$$BrCl + \textit{sunlight} \rightarrow Cl + Br$$

$$Cl + O_3 \rightarrow ClO + O_2$$
$$Br + O_3 \rightarrow BrO + O_2$$

Net: $2O_3 \rightarrow 3O_2$

Comprehensive Stratospheric Chemistry

- Heterogeneous reactions
- Catalytic Cycles

Atmospheric chemistry mechanisms in CESM

Chemistry mechanism descriptions:
https://www2.acom.ucar.edu/gcm/mozart



TS1 = default "full-chemistry" Troposphere and Stratosphere

Name	Description	# species
T1	Comprehensive tropospheric chemistry; for air quality simulations	179
T2	T1 with detailed terpene chemistry	265
T4	Simpler tropospheric chemistry suitable for climate simulations	97
TS1	T1 with comprehensive stratospheric chemistry	216
TSMLT	T1 with stratosphere, mesosphere, lower thermosphere chemistry	225
T4S	T4 with comprehensive stratospheric chemistry	134
SO	Specified Oxidants, with GHGs	33

Slide: Louisa Emmons

CAM6 vs CAM-chem

Same atmosphere, physics, resolution

Different chemistry and aerosols -> emissions and coupling

- **CAM6:** Aerosols are calculated, using simple chemistry ("fixed" oxidants) (prescribed: N_2, O_2, H_2O, O_3, OH, NO_3, HO_2; chemically active: H_2O_2, H_2SO_4, SO_2, DMS, SOAG)

  Limited interactions between Chemistry and Climate

  -> prescribed fields are derived using chemistry-climate simulations

  - Prescribed ozone is used for radiative calculations
  - Prescribed oxidants is used for aerosol formation
  - Prescribed methane oxidation rates
  - Prescribed stratospheric aerosols
  - Prescribed nitrogen deposition
  - Simplified secondary organic aerosol description

Default Modal Aerosol Model (MAM4)



Representation of

- Sulfates,
- Black Carbon
- Organic Carbon, Organic Matter (OC, SOA),
- Mineral Dust and Sea-Salt

Courtesy Mike Mills

Liu et al., 2016

Secondary Organic Aerosol Description



Modified from C. Heald, MIT Cambridge

Simplified Chemistry (CAM6):
- SOAG (oxygenated VOCs) derived from fixed mass yields
- no interactions with land

Comprehensive Chemistry:
- SOAG formation derived from VOCs using Volatility Bin Set (VBS)
- 5 volatility bins
- Interactive with land emissions

-> a more physical approach

For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \text{Sources}(i) - \text{Sinks}(i) = E_i + C_i + A_i + T_i$$

- E_i Emissions
- C_i Gas-phase-Chemistry
- A_i Aerosol-processes (Gas-aerosol exchange, het chem.)
- T_i Advection + Diffusion

Free running versus nudged



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \mathrm{Sources(i)} - \mathrm{Sinks(i)} = \mathrm{E_i} + \mathrm{C_i} + \mathrm{A_i} + \mathrm{T_i} - \mathrm{W_i} - \mathrm{D_i}$$

- E_i Emissions
- C_i Gas-phase-Chemistry
- A_i Aerosol-processes (Gas-aerosol exchange, het chem.)
- T_i Advection + Diffusion
- W_i Cloud-processes (wet deposition)
- D_i Dry deposition



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

Wet Deposition

Large-scale and convective precipitation: uptake of chemical constituents in rain or ice

Considers in-cloud and below-cloud scavenging rates and solubility factors of aerosol and chemical species

A first-order loss process

$$X_{iscav} = X_i \times F \times (1 - \exp(-\lambda \ \Delta t))$$



X

$\boldsymbol{X_{iscav}}$ scavenged species (kg)

$\boldsymbol{X_i}$ species

F fraction of the grid box from which tracer is being removed

$\boldsymbol{\lambda}$ is the loss rate

Deni Murray ACOM ASP graduate visitor



References: (Barth et al., 2000, Neu and Prather 2012, Lamarque et al., 2012)

Aerosol – Cloud Interactions



1 H_2SO_4 vapor production and loss (NewH2SO4)
2 Convective transport and wet removal (NewConvTran)
3 SOA precursor gas emission (NewSOA)
4 Representation of marine organic aerosol (NewMOA)
5 Ice nucleation and ice-to-snow conversion (NewIceNuc)
6 Resuspension of aerosol from evaporated raindrops (NewResusp)
7 Light-absorbing particles in snow and ice (NewInSnow)

E3SM: Wang et al., 2020 (JAMES)

Dry Deposition Velocity Calculation

Resistance model:

$$V_d = \frac{1}{R_a + R_b + R_c}$$

$$F = -v_d C$$

F = deposition flux
C = concentration of species in 10m surface layer

Uptake of chemical constituents by plants and soil (CLM), depends on land type, roughness of surface



For each chemical constituent (χ), the following must be solved

$$\frac{\partial \chi(i)}{\partial t} = \mathrm{Sources(i)} - \mathrm{Sinks(i)} = \mathrm{E_i} + \mathrm{C_i} + \mathrm{A_i} + \mathrm{T_i} - \mathrm{W_i} - \mathrm{D_i}$$

it can get expensive very fast! $

- E_i Emissions
- C_i Gas-phase-Chemistry
- A_i Aerosol-processes (Gas-aerosol exchange, het chem.)
- T_i Advection + Diffusion
- W_i Cloud-processes (wet deposition)
- D_i Dry deposition



Introduction to Atmospheric Chemistry, Daniel J. Jacob https://acmg.seas.harvard.edu/education/introduction-atmospheric-chemistry

Atmospheric Chemistry

- Motivation
- Adding processes into models
  - Emissions
  - Chemical mechanism
  - Aerosol model and cloud interactions
  - Dry Deposition
  - Wet Deposition
- Applications: CAM-chem
- Support



Chemistry → Air Quality: Regional refinement

MUSICA-V0: **Multi-Scale Infrastructure for Chemistry and Aerosols**

CAM-chem-SE-RR - Community Atmosphere Model with Chemistry With Spectral Element (SE) dynamical core and Regional Refinement (RR)

MUSICA-wiki: tutorials and support https://wiki.ucar.edu/display/MUSICA



Example: U.S. Air Quality, Surface Ozone (ppb)

- Exposure Relevant scales and large-scale feedbacks



Chemistry → Climate: Australian wildfires 2019/2020

- CESM/CAM6 simulation with aerosols, satellite-based inventory (GFED) in Australia compared to climatology
- Climate response similar to a major volcanic eruption (aerosol-cloud interactions)
- Large interhemispheric radiative imbalance anomaly and impacts on ENSO



John Fasullo, CGD

Cloudy Sky Albedo (Jan 2020)



Near-surface temperature (Jan 2021)





Cloud brightening across the Southern Hemisphere

2020/21 La Niña response

Fasullo et al., GRL, 2021

Fasullo et al., Sci. Adv., 2023

Atmospheric Chemistry

- Motivation
- Adding processes into models
  - Emissions
  - Chemical mechanism
  - Aerosol model and cloud interactions
  - Dry Deposition
  - Wet Deposition
- Applications
- Support



User Support for CAM-Chem and WACCM

Wiki Page for Chemistry:
https://wiki.ucar.edu/display/camchem/Home

Use and Diagnostics	• Boundary conditions for regional modeling • Atmospheric Diagnostics (ADF) in python ***NEW!*** • Automated CESM diagnostic package (using NCL) • Using CAM-chem output • MELODIES MONET model-obs comparison package
User Community	• Current Users/Projects • Contributions to Model Intercomparisons (MIPs) • CAM-chem Forum • Chemistry-Climate Working Group Publications • CAM-chem Publications from NCAR • CESM Publications
Other links and documents	• Recent Bug Fixes • CAM Documentation (User and Scientific Guides) • ACOM CAM-chem page • CESM Chemistry Climate Working Group • Join the CESM Chemistry WG mailing list • Benchmarks and Production Experiment Diagnostics

Regional Refinement WIki: https://wiki.ucar.edu/display/MUSICA

Forum to search for and ask questions:
http://bb.cgd.ucar.edu/

Contact us:
Simone Tilmes
CAM-Chem co-chair
tilmes@ucar.edu

Rebecca Buchholz
CAM-Chem Liaison
buchholz@ucar.edu

Shawn Honomichl
CAM-Chem Liaison
shawnh@ucar.edu